

30th May 2023

Dear Jane,

Green Lane, Nettleham – tree survey

Thank you for instructing me to carry out the tree survey for Green Lane, a public bridleway. Please find the accompanying report, map and invoice.

The tree survey report primarily highlights the issues I have identified in relation to tree safety, and makes recommendations to mitigate the associated risk.

I have made comment in some cases where a tree has a feature of interest; for example is a remnant of old hedgerow management, or has an unusual form.

I did not find any tree that, in my opinion, presents a need for removal or further pruning.

The size ranges I use in the report:

S1 to 5m, S2 5-10m, S3 10-15m, S4 15-20m and S5 over 20m

OHB's means overhanging branches

BW Bridleway

Many of the trees I inspected have dense ivy growing up the stems and into the crowns. Ivy in mature trees has two impacts of note; dense ivy hides any obvious stem defects, such as cavities, and it increases the wind resistance of trees. In deciduous trees this can make the tree more vulnerable to failure in strong wind and gales. This is an issue with trees near any highway. In my report I have recommended that many trees have ivy severed; this should be done as near to ground level as possible without damaging the bark. This is a relatively simple job but has long term benefits to the tree. I regard this as important work in relation to tree safety in the longer term.

I am including a guide to show how ivy severing should be carried out.

The tree work I have recommended should be carried out by a competent and insured tree surgeon.

As with any tree there cannot be a guarantee that the trees will not fail in the event of exceptional conditions, e.g. a violent storm.

It is regarded as good practice to survey your trees every 3 years; this will ensure you can demonstrate you are managing your trees and fulfil your obligations under the Occupiers Liability Act, provided you carry out any recommended tree work in the report.


Please contact me if you have any queries.

Thank you.

Yours sincerely,

tleham

P-C-Wood



Nettleham, Green Lane
Tree survey
1st, 15th & 19th May 2023



Green Lane, Nettleham, Lincoln

| Tree no | Size band | Species | Age class | Condition | Notes | Work required | Priority |
|---------|-----------|---|-----------|-------------|--|---|----------|
| 1 | S2 | <i>Crataegus monogyna</i> Hawthorn | mature | Rather Poor | old hedgerow/boundary trees near the lane entrance - approx 10m, ivy clad stems, not being managed, poor structure, encroaching bridleway (BW) | sever ivy, pollard group at approx 1-1.2m to regenerate | winter |
| 2 | S3 | <i>Acer pseudoplatanus</i> Sycamore | mature | Moderate | ivy clad tree on police land, low risk to PC | no action | |
| 3 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0038, rather poor form, some deadwood above BW | remove deadwood above BW | 3 months |
| 4 | S4 | <i>Fraxinus excelsior</i> Ash | mature | Moderate | tag 0039, old hedgerow coppiced stems, 2 self-grafting - interesting feature, ivy on stems, minor deadwood | sever ivy, monitor for Ash dieback disease (ADD) | 3 months |
| 5 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0040, rather poor form, some deadwood above BW | remove deadwood above BW | 3 months |
| 6 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0041, rather poor form, biforcate at 2m, some deadwood above BW | remove deadwood above BW | 3 months |
| 7 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0042, adapted lean, rather poor form - poor pruning in past, some deadwood above BW | remove deadwood above BW | 3 months |
| 8 | S2 | <i>Crataegus monogyna</i> Hawthorn | mature | Moderate | old boundary tree, one stem has been laid along hedge | suggest lay other stems to south to regenerate | winter |
| 9 | S3 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0043, adapted lean, rather poor form - poor pruning in past, old pruning wound cavities - one stem to police field has bat potential, some deadwood above BW | remove deadwood above BW | 3 months |
| 10 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0044, rather poor form, ivy on stem, some deadwood above BW | sever ivy, remove deadwood above BW | 3 months |
| 11 | S4 | <i>Fraxinus excelsior</i> Ash | mature | Moderate | tag 0045, old hedgerow coppice - 3 stems, one stem has old wound at 4m, ivy on stems, deadwood above BW | sever ivy, remove deadwood above BW, monitor for ADD | 3 months |
| 12 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0046, adapted lean, poor pruning in past, small wound and decay at 2m, minor deadwood | no action | |
| 13 | S4 | <i>Fraxinus excelsior</i> Ash | mature | Moderate | tag 0047, 2 stems, some ivy on stems, minor deadwood | sever ivy, monitor for ADD | 3 months |
| 14 | S4 | <i>Fraxinus excelsior</i> Ash | mature | Moderate | tag 0048, has sub-stem, ivy on stems, low target deadwood | sever ivy, monitor for ADD | 3 months |
| 15 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0049, poor form - poor pruning in past, area of decay at 2m, minor deadwood | no action | |
| 16 | S4 | <i>Fraxinus excelsior</i> Ash | mature | Moderate | tag 0050, old hedgerow coppice - 4 stems, 2 are self-grafting, some small stem cavities, ivy on stems, deadwood above BW | sever ivy, remove deadwood over 4cm Ø above BW, monitor for ADD | 3 months |
| 17 | S4 | <i>Fraxinus excelsior</i> Ash | mature | Moderate | tag 0051, old hedgerow coppice - 3 stems, some small stem cavities, ivy on stems, deadwood above BW | sever ivy, remove deadwood over 4cm Ø above BW, monitor for ADD | 3 months |
| 18 | S3 | <i>Fraxinus excelsior</i> Ash | mature | Moderate | tag 0052, old hedgerow coppice - 3 stems, ivy on stems, poor form | monitor for ADD | summer |
| 19 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0053, minor deadwood | no action | |
| 20 | S4 | <i>Acer platanoides</i> Norway maple | mature | Moderate | tag 0054, included union at 4m, minor deadwood and ivy | no action | |
| 21 | S4 | <i>Fraxinus excelsior</i> Ash | mature | Rather Poor | tag 0055, 3 stems, some self-grafting of lower stems - interesting feature, some deadwood above BW | sever ivy, remove deadwood over 4cm Ø above BW, monitor for ADD | 3 months |

| | | | | | | | |
|----|----|---------------------------------|-------------|------------|--|--|----------|
| 22 | S3 | Acer platanoides Norway maple | mature | Moderate | tag 0055, deadwood above BW, woodchip pile against stem - bad practice | remove deadwood above BW, suggest move woodchip and ensure piles are away from the trees in future | 3 months |
| 23 | S3 | Acer platanoides Norway maple | mature | Moderate | tag 0057, deadwood above BW, woodchip pile against stem - bad practice | remove deadwood above BW, suggest move woodchip | 3 months |
| 24 | S4 | Acer platanoides Norway maple | mature | Moderate | tag 0058, deadwood above BW | remove deadwood above BW | 3 months |
| 25 | S4 | Fraxinus excelsior Ash | mature | Moderate | ivy clad stem; appears to be sound, minor deadwood, growing to west | sever ivy, monitor for ADD | 3 months |
| 26 | S3 | Acer platanoides Norway maple | mature | Moderate | tag 0059, ivy clad stem, dead Hawthorn stem leaning against tree | remove dead stem, sever ivy | 3 months |
| 27 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0060, old hedgerow coppice - 4 stems, some ivy on stems, minor deadwood | sever ivy, monitor for ADD | 6 months |
| 28 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0061, twin-stemmed, ivy on stems, one dead branch to BW at approx 4m | remove dead branch at main stem, sever ivy, monitor for ADD | 3 months |
| 29 | S4 | Acer platanoides Norway maple | mature | Moderate | tag 0062, old stem cavity at 1m, minor deadwood | no action | |
| 30 | S4 | mixed | mature | Moderate | group of trees in the police field near the boundary, including Sycamore and Ash with ivy clad stems; low risk to PC and BW | no action | |
| 31 | S4 | Acer platanoides Norway maple | mature | Moderate | tag 0063, some ivy on stem, area of vertical reaction growth up east side of stem, from base, old stem damage and cavity at 4.5m, some deadwood over BW | remove deadwood over 4cm Ø above BW, suggest annual inspection to monitor | 3 months |
| 32 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0064, group of 10 stems, growing co-dependently, close to boundary, including old hedgerow coppice stool - interesting feature, some low target deadwood | no action | |
| 33 | S4 | Acer platanoides Norway maple | mature | Moderate | tag 0065, adapted lean, minor deadwood | no action | |
| 34 | S2 | Crataegus monogyna Hawthorn | over mature | RatherPoor | section of old boundary hedge, ivy clad and dead stems, some rose growing through | sever ivy, suggest pollard or lay a few stems each winter for 3 or 4 years to regenerate | winter |
| 35 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0066, poor form - 3 main stems, deadwood above BW | remove deadwood over 4cm Ø above BW, monitor for ADD | 3 months |
| 36 | S4 | Acer pseudoplatanus Sycamore | mature | Moderate | ivy clad tree in police field, 2 long low branches to BW | remove low Branches at boundary line to clear BW | 3 months |
| 37 | S2 | Crataegus monogyna Hawthorn | mature | Poor | tree in old boundary hedge, ivy clad stems, has a living Ash stem hung up in crown - from an old failure from tree on police land | sever ivy, remove the crown of Ash tree from the Hawthorn - the increasing size and weight of Ash will lead to failure of the Hawthorn | 3 months |
| 38 | S2 | Crataegus monogyna Hawthorn | mature | RatherPoor | section of old boundary hedge, ivy clad and dead stems, southernmost stem is growing out to BW | sever ivy, prune back to clear BW, suggest pollard or lay a few stems each winter for 3 or 4 years to regenerate | winter |
| 39 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0067, group of 3 ivy clad stems, minor deadwood | sever ivy, monitor for ADD | 6 months |
| 40 | S3 | Tilia species Lime | mature | Moderate | tag 0069, some ivy on stem, minor deadwood, some low branches to BW | remove lowest 2 branches to clear BW | 3 months |
| 41 | S4 | Tilia species Lime | mature | Moderate | tag 0068, stem bifurcates at 2m, minor deadwood, low branches to BW and sign | prune to clear BW by 4m, and to clear sign by 1m | 3 months |
| 42 | S2 | Betula pendula Birch | mature | Moderate | minor deadwood, OHBs to street light | prune back by 1.2m at appropriate points to clear gate and give 4m BW clearance | 3 months |
| 43 | S2 | Crataegus monogyna Red hawthorn | mature | Moderate | twin-stemmed, minor deadwood, OHBs to BW and gate | | 3 months |

| | | | | | | | |
|----|----|--|-------------|------------|---|--|----------|
| 44 | S3 | Prunus species | mature | RatherPoor | ivy on stem, some deadwood, thinning crown, has been heavily pruned in past | sever ivy, remove deadwood over 4cm Ø | 3 months |
| 45 | S3 | Betula pendula Birch | mature | Moderate | slender, minor deadwood, old stem cavity at 2m | no action | |
| 46 | S1 | Corylus avellana Hazel | mature | Moderate | group of 4 stools | suggest coppice stems at approx 0.3m to regenerate | winter |
| 47 | S3 | Acer campestre Field maple | mature | Moderate | tag 0070, bifurcates at 1.5m, minor deadwood above BW, some epicormic growth | no action | |
| 48 | S4 | Acer campestre Field maple | mature | Moderate | tag 0071, stem cavity at 1.8m, some reaction growth on stem, minor deadwood, thin crown | no action | |
| 49 | S2 | Crataegus crus-galli Cockscomb hawthorn | mature | Moderate | ivy on stem, some deadwood | no action | |
| 50 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0072, poor form due to poor pruning over many years, stem sound | monitor for ADD | summer |
| 51 | S2 | Pyrus species | mature | Moderate | old fallen tree now regenerating stem | no action | |
| 52 | S3 | Prunus species | mature | Moderate | tag 0073, stem bifurcates at 2m, minor deadwood, healthy crown | no action | |
| 53 | S3 | Populus species | mature | Moderate | tag 0074, ivy on stem, has had top removed in past, stem sound | sever ivy | 6 months |
| 54 | S4 | Acer platanoides Norway maple | mature | Moderate | tag 0075, appears to be in moderate condition but ivy clad stem, poor form from poor pruning in past, minor deadwood (nearby trees are regularly being 'topped' by someone) | sever ivy, stop unnecessary pruning | 3 months |
| 55 | S4 | Acer platanoides Norway maple | mature | Moderate | tag 0076, appears to be in moderate condition but ivy clad stem, poor form from poor pruning in past, minor deadwood (nearby trees are regularly being topped' by someone) | sever ivy, stop unnecessary pruning | 3 months |
| 56 | S2 | Crataegus monogyna Hawthorn | mature | Poor | has had top removed, now 'lollipop' with dead ivy in crown, another ivy clad Hawthorn here is leaning against the fence | sever ivy, remove dead parts of ivy and tree to clear fence | 3 months |
| 57 | S2 | Crataegus monogyna Hawthorn | mature | RatherPoor | ivy clad slender stems, minor deadwood | sever ivy, pollard at approx 1.6m to regenerate before failure | 3 months |
| 58 | S2 | Acer campestre Field maple | semi mature | Moderate | the Nettleham 'wishing tree' has items tied on with tight wire or string | suggest ask people to remove or adjust their items, use wool or raffia in future | 3 months |
| 59 | S4 | Fraxinus excelsior Ash | mature | RatherPoor | tag 0077, now poor form due to poor pruning, minor deadwood, ivy on stem (the neighbour may believe this tree is to be removed in future - this is not necessary) | sever ivy, monitor for ADD | 6 months |
| 60 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0078, old stem cavity from poor pruning at 1m, deadwood above BW | remove deadwood over 4cm Ø above BW, monitor for ADD | 3 months |
| 61 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0079, some small sub-stems with ADD, deadwood above BW, been pruned back from neighbour | monitor for ADD | summer |
| 62 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0080, some deadwood stubs from pruning, minor deadwood | monitor for ADD | summer |
| 63 | S2 | Crataegus monogyna Hawthorn | mature | RatherPoor | group of trees/ stems near boundary, have been pollarded in past, now tall and slender, some dead stems | pollard stems at marked points | 6 months |
| 64 | S3 | Fraxinus excelsior Ash | mature | Moderate | tag 0081, recent poor pruning, minor deadwood | monitor for ADD | 6 months |
| 65 | S2 | Crataegus monogyna Hawthorn | mature | Poor | group of unbalanced old stems | pollard stems at marked points | 3 months |
| 66 | S2 | Crataegus monogyna Hawthorn | mature | Poor | group of ivy clad stems, growing to neighbour | sever ivy and re-inspect | 3 months |

| | | | | | | | |
|----|----|-------------------------------|-------------|------------|---|---|----------|
| 67 | S3 | Fraxinus excelsior Ash | mature | Moderate | tag 0082, interesting adapted lower stem form, some low target deadwood, old small stem cavity at 1.2m | monitor for ADD | summer |
| 68 | S2 | Crataegus monogyna Hawthorn | mature | Poor | group of 4 trees/stems, growing to neighbour, an actionable nuisance | pollard stems at marked points | 3 months |
| 69 | S2 | Crataegus monogyna Hawthorn | mature | RatherPoor | group of ivy clad stems, some OHB's to neighbour, minor deadwood | sever ivy and re-inspect | 3 months |
| 70 | S2 | Elder | mature | Poor | self-set tree, ivy clad, growing to neighbour | fell to coppice | 3 months |
| 71 | S2 | Crataegus monogyna Hawthorn | mature | Poor | group of 3 ivy clad trees, poor form | sever ivy, pollard stems at marked points to regenerate | 3 months |
| 72 | S3 | Fraxinus excelsior Ash | mature | RatherPoor | tag 0083, 3 main stems, ivy clad, rather poor form, minor deadwood, OHB's to neighbour, possible thin crown | sever ivy, re-inspect when nearby Hawthorn have been pollarded, monitor for ADD | 3 months |
| 73 | S2 | Crataegus monogyna Hawthorn | mature | Moderate | has been pruned, nest box on stem | no action | |
| 74 | S2 | mixed | mature | Moderate | group of trees including Field maple, Hawthorn and Hazel, some ivy clad stems | sever ivy on bigger trees - 6 months, coppice some Hazel to regenerate | winter |
| 75 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0084, rather poor form, weight to BW, some deadwood, ivy on stem | sever ivy, remove deadwood over 4cm Ø above BW, monitor for ADD | 3 months |
| 76 | S3 | Fraxinus excelsior Ash | mature | Moderate | tag 0085, recently 'pruned' to a pole, some regrowth | monitor for ADD | summer |
| 77 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0086, was twin stemmed; one stem removed leaving a decaying base, poor form due to poor pruning in past, minor deadwood | remove deadwood over 4cm Ø above BW, monitor for ADD | summer |
| 78 | S4 | Fraxinus excelsior Ash | mature | Moderate | tag 0087, stem is sound, poor pruning in past, some deadwood | monitor for ADD | 3 months |
| 79 | S2 | Crataegus monogyna Hawthorn | mature | Moderate | group of 5 trees, some ivy clad stems | sever ivy | 6 months |
| 80 | S2 | Crataegus monogyna Hawthorn | mature | Moderate | group of 7 trees, some slender stems starting to fail, ivy clad stems | sever ivy, pollard all stems at approx 1.5m | 3 months |
| 81 | S2 | Crataegus monogyna Hawthorn | mature | RatherPoor | ivy clad tree, has been pollarded | sever ivy | 3 months |
| 82 | S4 | Acer platanoides Norway maple | mature | Moderate | tag 0088, poor pruning in past, some deadwood stubs | no action | |
| 83 | S3 | Crataegus monogyna Hawthorn | mature | Poor | ivy clad tree, OHB's to neighbour | pollard at top of fence height | 3 months |
| 84 | S4 | Acer pseudoplatanus Sycamore | mature | Moderate | tag 0089, appears to be in moderate condition but ivy clad stem, high OHB's to neighbour, minor deadwood | sever ivy | 3 months |
| 85 | S4 | Acer pseudoplatanus Sycamore | mature | Moderate | tag 0090, growing co-dependently with T84, ivy on stem, some epicormic growth, OHB's to neighbour - not an actionable nuisance but may be an issue to neighbour, minor deadwood | sever ivy | 6 months |
| 86 | S2 | Crataegus monogyna Hawthorn | mature | Moderate | tree growing over neighbour, ivy clad stem | sever ivy, pollard at approx 1.5m if neighbour happy for this to happen | 3 months |
| 87 | S2 | mixed | mature | Moderate | group of Hawthorn, Hazel, Prunus, ivy on stems, some OHB's to BW | sever ivy, pollard Hawthorn and Blackthorn at 1.5m to regenerate and clear BW | 3 months |
| 88 | S2 | Crataegus monogyna Hawthorn | over-mature | Poor | group of 3 ivy clad trees, poor form, one near BW entrance is growing with a Blackthorn, deadwood, starting to fail | sever ivy, pollard stems at marked points, unmarked stems at 1.2m | 3 months |
| 89 | S4 | Acer pseudoplatanus Sycamore | mature | Moderate | tag 0091, ivy on stem, some low target deadwood, OHB's to neighbour - not actionable | sever ivy | 6 months |

| | | | | | | | |
|----|----|------------------------------|-------------|----------|--|--|----------|
| 90 | S1 | Prunus species Blackthorn | semi mature | Moderate | group of stems growing behind seat, OHB's to BW sign and the highway | pollard stems at approx 1m - if PC owned | 3 months |
|----|----|------------------------------|-------------|----------|--|--|----------|

below: looking north along Green Lane



below: tree with interesting form



Poor ivy cutting –

Cutting ivy with a chainsaw like this is very damaging to the long term health of the tree. Extensive wounds to the bark allows various pathogens to easily enter the tree, or may effectively 'ring bark' the tree and lead to it dying.

If using a chainsaw the final cut should be made with a curved handsaw e.g. Silky Zubat.

